## SPE RESPONSE FOR CERTIFICATE OF CORRECTION

		2/11/05			Paper No.: <u>020</u>		
	DATE	: 2/14/05					
	TO SPE OF	: ART UNIT					
	SUBJECT	: Request for Certificate of (	Correction on Patent No.: _	662803	•7		
A response is requested with respect to the accompanying request for a certificate of					e of correction.		
	Certificates	Please complete this form and return with file, within 7 days to:  Certificates of Correction Branch - PK 3-910  Palm location 7590 - Tel. No. 305-8201					
	With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.						
	Thank You Fo	or Your Assistance	7	ertificates of Co	rrection Branch		
	The request for issuing the above-identified correction(s) is hereby:  Note your decision on the appropriate box.						
		Approved	All changes a	apply.			
	×	Approved in Part	Specify below	v which changes	do not apply.		
		Denied	State the rea	sons for denial b	elow.		
	Comments:						
	Changes to claim 17 change scope of claims since						
	a processor for driving " was not in original						
		Changes to claim 17 change scope of claims since "a processor for driving" was not in original claim 17 & adds new matter there to.					
					m		
AC.						108	
DARREN-SCHUBERG SUPERVISORY-PATENT EXAMINER					2920	="	
		_	TECHNOLOGY CENTER 2		Art Unit		
PT	OL-306 (REV. 7/03)		U.S. DEPARTMENT	OF COMMERCE Pa	atent and Tradema	rk Office	

PATENT NO.:

6,628,037

DATED:

September 30, 2003

INVENTOR(S):

Kinya Matsuzawa

It is certified that an error appears in the above identified patent and that said Letters Patent is hereby corrected as shown below:

#### Claim 3:

Column 19, line 5, please change "
$$d = \sqrt{0.137\rho} \cdot f^{-0.375} B^{-0.175}$$
 (3)" to  $d = \sqrt{0.137\rho} \cdot f^{-0.375} B_m^{-0.175}$  (3)--

### Claim 4:

Column 19, line 16, please change

" 
$$d = \sqrt{1.339\rho} \cdot f^{-0.375} B^{-0.175}$$

(4)" to

$$d = \sqrt{1.339\rho} \cdot f^{-0.375} B_m^{-0.175}$$

(4)--

### Claim 5:

Column 19, line 25, please change "(in)" to --(m)-- and

line 30, please change "
$$d = \sqrt{3.049\rho} \cdot f^{-0.375} B^{-0.175}$$

(5)" to

$$d = \sqrt{3.049\rho} \cdot f^{-0.375} B_m^{-0.175}$$

(5)--

#### MAILING ADDRESS OF SENDER:

Epson Research and Development, Inc. Intellectual Property Department 150 River Oaks Parkway, Suite 225 San Jose, CA 95134 Customer No. 20178

APR 0 7 2004

PATENT NO.:

6,628,037

DATED:

September 30, 2003

INVENTOR(S):

Kinya Matsuzawa

It is certified that an error appears in the above identified patent and that said Letters Patent is hereby corrected as shown below:

#### Claim 9:

Column 20, line 16, please change "
$$d = \sqrt{0.654\rho} \cdot f^{-0.375} B^{-0.175}$$
 (2)" to  $d = \sqrt{0.654\rho} \cdot f^{-0.375} B_m^{-0.175}$ 

#### Claim 10:

Column 20, line 34, please change "(in)" to "(m)" and line 40, please change

"
$$d = \sqrt{0.654\rho} \cdot f^{-0.375} B^{-0.175}$$
 (2)" to
$$d = \sqrt{0.654\rho} \cdot f^{-0.375} B_m^{-0.175}$$
 (2)--

#### Claim 11:

Column 20, line 61, please change "
$$d = \sqrt{0.137\rho} \cdot f^{-0.375} B^{-0.175}$$
  
(3)" to ..  $d = \sqrt{0.137\rho} \cdot f^{-0.375} B_m^{-0.175}$ 

PATENT NO.:

6,628,037

DATED:

September 30, 2003

INVENTOR(S):

Kinya Matsuzawa

It is certified that an error appears in the above identified patent and that said Letters Patent is hereby corrected as shown below:

#### Claim 12:

Column 21, line 20, please change "
$$d = \sqrt{0.137\rho} \cdot f^{-0.375} B^{-0.175}$$
 (3)" to  $d = \sqrt{0.137\rho} \cdot f^{-0.375} B_m^{-0.175}$  (3)...

#### Claim 13:

Column 21, line 45, please change "
$$d = \sqrt{1.339\rho} \cdot f^{-0.375} B^{-0.175}$$
 (4)" to  $d = \sqrt{1.339\rho} \cdot f^{-0.375} B_m^{-0.175}$ 

#### Claim 16:

Column 22, line 7, please change "(in)" to --(m)-

### Claim 17:

Column 22, after line 35, please insert

--where  $k_h$  represents hysteresis loss coefficient,  $k_e$  represents eddy-current loss coefficient,  $\rho(\Omega \cdot m)$  represents resistivity, f (Hz) represents frequency and  $B_m$  (T) represents maximum amplitude magnetic flux density of the soft magnetic material; and

a processor for driving a time display by the electric energy generated by the power generator.--



APR 0 7 2004

PATENT NO.:

6,628,037

DATED:

September 30, 2003

INVENTOR(S):

Kinya Matsuzawa

It is certified that an error appears in the above identified patent and that said Letters Patent is hereby corrected as shown below:

#### Claim 20:

Column 23, line 30, please change "
$$d = \sqrt{0.654\rho} \cdot f^{-0.375} B^{-0.175}$$
 (2)" to

$$d = \sqrt{0.654\rho} \cdot f^{-0.375} B_m^{-0.175}$$
 (2)-

### Claim<sup>21</sup>:

Column 23, line 60, please change "
$$d = \sqrt{0.137\rho} \cdot f^{-0.375} B^{-0.175}$$
 (3)" to  $d = \sqrt{0.137\rho} \cdot f^{-0.375} B_m^{-0.175}$  (3)—

#### Claim 22:

Column 24, line 22, please change

"
$$d = \sqrt{1.339\rho} \cdot f^{-0.375} B^{-0.175}$$
" to

... 
$$d = \sqrt{1.339\rho} \cdot f^{-0.375} B_m^{-0.175}$$
...

PATENT NO.:

6,628,037

DATED:

September 30, 2003

INVENTOR(S):

Kinya Matsuzawa

It is certified that an error appears in the above identified patent and that said Letters Patent is hereby corrected as shown below:

#### Claim 24:

Column 24, please delete lines 65-67

Column 25, please delete lines 1-4.

### Claim 26:

Column 25 line 13, please change "lace" to "plate"

#### Claim 27:

Column 25, line 28, please change "(in)" to --(m)-- and

#### Claim 28:

Column 26, line 17, please change "(in)" to --(m)--.